



BUILD YOUR

COMMERCIAL DOOR, FRAME & HARDWARE GUIDE




METAL DOORS

Commercial hollow metal doors built for strength, security and long-term performance in commercial and industrial buildings. Available as single or double doors, with glass lite kits, louvers and reinforced hardware prep, and with fire ratings available up to three hours depending on the assembly.

HIGHLIGHTS

- 18-gauge Galvanneal steel construction with a polystyrene core for energy efficiency
- Fire-rated options at 20, 45, 60, 90 and 180 minutes
- Cut-down and restyling available for custom openings
- Standard thickness 1-3/4"; actual width runs 1/4" and height 7/8" under nominal size




WOOD DOORS

Commercial wood doors with commercial metal frames, offering a traditional look for offices, healthcare facilities, hospitality spaces and schools without giving up code compliance or durability.

HIGHLIGHTS

Prefinished, water-based stains including Golden Hickory and Mahogany
Fire-rated options at 20, 45, 60 and 90 minutes
Lite kit and louver options available across most fire ratings




STOREFRONT DOORS

Aluminum-framed glass entry systems that arrive with the glass and hardware pre-installed, packaged unit.

HIGHLIGHTS

- Anodized aluminum frames in clear or dark bronze finish
- Glass options: clear tempered, tinted, insulated or Low-E
- Snap-in attachments for matching sidelites and transoms
- Doors, frames and hardware ship together as one package




METAL BUILDING DOORS

Pre-assembled, pre-hung and pre-finished walk-in doors that mount directly to a metal

HIGHLIGHTS

•18-gauge steel door leaf on a 16-gauge steel frame, powder-coated finish•Optional preinstalled windows: 6" x 30" narrow or 24" x 30" full-size•Inswing or outswing, single or double door, multiple handing options•Standard sizes 3070, 4070 or 6070 in white, black or bronze; custom sizes on request




WIND RATED DOORS

Complete door, frame and hardware assemblies engineered and certified for high-wind and hurricane-prone regions, commonly specified for coastal construction, schools and government and critical-infrastructure buildings.

HIGHLIGHTS

- HVHZ and Miami-Dade NOA certifications; Florida Product Approvals FL21194 and FL46851
- Tested to TAS 203 cyclic wind-pressure and ASTM E1886/E1996 impact standards
- Supports Texas TDI WPI-8 certification requirements in addition to Florida approval
- Impact-rated glazing required for doors in windborne-debris regions



FRAME ONLY

CDF supplies steel commercial door frames exclusively — from knock-down frames to fully welded assemblies — each matched to a specific door type and building condition for a clean install and long-term performance.


HIGHLIGHTS

Knockdown frames for hollow metal openings; fully welded frames for demanding applications

Storefront frames in anodized aluminum, clear or dark bronze, with snap-in sidelite and transom attachments

Pre-hung frame options available for metal building doors


Built for offices, schools, healthcare facilities, warehouses and retail spaces



- A focused line of commercial-grade hardware — hinges, closers, locksets and exit devices — selected to pair with CDF doors and factory-prepped so everything lines up on delivery, from brands including Falcon and Accentra (ASSA ABLOY).

Hinges

Ball-bearing, continuous (piano) and self-closing spring hinges; non-removable-pin (NRP) hinges recommended for exterior/outswing doors.



Closers

Hydraulic closers with adjustable closing speed and latching force; required on most fire-rated doors, which must be self-closing by code.





2026